



Dazzle  
Marble

**CENTRE FOR DEVELOPMENT OF STONES**

(An autonomous organisation promoted by Government of Rajasthan and RIICO)  
 SP-8, SITAPURA INDUSTRIAL AREA, PHASE (IV) JAIPUR-302 022, INDIA  
 Phone: +91-141-5122609, 5122610, Fax: +91-141-5122610  
 Email: info@cdos-india.com, Website: www.cdos-india.com

**STONE TESTING LABORATORY  
(R&D CENTRE)**

• India's Most Loved Marble •

• India's Most Loved Marble •

**Test Report No. – 2014-15/010**

**TEST REPORT**

- |                                     |   |
|-------------------------------------|---|
| 1. Name and address of the customer | Maruti Granites & Marbles Pvt. Ltd.,<br>H-279/280, Udyog Vihar, Sukher,<br>Udaipur-313004<br>Rajasthan, India |
| 2. Reference No.                    | Letter dated October 31, 2014   |
| 3. Rock Type                        | Marble  |
| 4. Commercial Name                  | Dazzle Onyx   |
| 5. Customer Sample ID No.           | MGM-71  |
| 6. Location of the Sample           | Village Kothara, Taiwada, Rajasthan   |
| 7. Nature of the Sample             | Machine cut   |
| 8. Condition of Sample              | OK  |
| 9. Date of receipt of sample        | November 03, 2014   |
| 10. Date of testing                 | November 03, 2014 to November 13, 2014  |

**TEST RESULT**

S.No.	Sample Mark	Content ( % )					
		SiO <sub>2</sub>	CaO	MgO	LOI	Fe <sub>2</sub> O <sub>3</sub>	Al <sub>2</sub> O <sub>3</sub>
1.	8/2014-15/M/09	0.40	29.40	21.58	47.25	0.96	Traces

Date of issue of report: November 19, 2014

(Anil Kumar Verma)  
Sr. Geologist  
Authorised Signatory



\*\*\*End of Test Report\*\*\*



Dazzle  
Marble



Dazzle  
Marble


• India's Most Loved Marble •

• India's Most Loved Marble •

**Disclaimer:**

- ❖ The laboratory studies and test results pertain only to the samples supplied by customer and it shall not be generalized for the similar rock type and its location.
- ❖ CDOS will not be responsible with respect to any claims, damages or losses from the use of above test report.
- ❖ This test report shall not be reproduced without written approval by CDOS.
- ❖ The test results can not be used as evidence in any court or legal proceedings.

Doc. No.: CDOS/TR/01  
Rev. No.: 03  
Rev. Date: April 10, 2014



# Dazzle Marble

**CENTRE FOR DEVELOPMENT OF STONES**  
 (An autonomous organisation promoted by Government of Rajasthan and RHCO)  
 SP-8, SITAPURA INDUSTRIAL AREA, PHASE (IV) JAIPUR-302 022, INDIA  
 Phone: +91-141-5122609, 5122610, Fax: +91-141-5122610  
 Email: info@cdos-india.com, Website: www.cdos-india.com

• India's Most Loved Marble • **STONE TESTING LABORATORY** • India's Most Loved Marble •  
**(R&D CENTRE)**

Certificate No. : T-2487

**Test Report No. – 2014-15/097**

## TEST REPORT

- |                                     |  |
|-------------------------------------|--|
| 1. Name and address of the customer | Maruti Granites & Marbles Pvt. Ltd.,<br>H-279/280, Udyog Vihar, Sukher,<br>Udaipur-31004<br>Rajasthan, India |
| 2. Reference No.                    | Letter dated October 31, 2014  |
| 3. Rock Type                        | Marble   |
| 4. Commercial Name                  | Dazzle Onyx  |
| 5. Customer Sample ID No.           | MGM-09 to MGM-48 & MGM-55 to MGM-60  |
| 6. Location of the Sample           | Village Kothara, Talwada, Rajasthan  |
| 7. Nature of the Sample             | Machine Cut  |
| 8. Condition of Sample              | OK   |
| 9. Date of receipt of sample        | November 3, 2014   |
| 10. Date of testing                 | November 7, 2014 to November 14, 2014  |

## TEST RESULT

### Compressive Strength (Test Method-EN 1926:2006)

(Room Temperature –21.0°C)


S.No.	Sample Mark	Length (mm)	Width (mm)	Height (mm)	Breaking Load (KN)	Compressive Strength (MPa)
<b>Zone I</b>						
1.	14/2014-15/M/626	51.32	51.16	51.46	239.000	91.03
2.	14/2014-15/M/627	51.85	50.8	51.69	214.800	81.55
3.	14/2014-15/M/628	50.78	50.44	51.61	244.200	95.34
4.	14/2014-15/M/629	51.21	51.58	51.82	238.400	90.25
5.	14/2014-15/M/631	50.35	50.54	50.75	210.200	82.60
6.	14/2014-15/M/633	51.34	50.49	51.89	237.200	91.51
7.	14/2014-15/M/634	50.39	50.42	51.41	218.600	86.04
8.	14/2014-15/M/641	51.04	50.54	51.55	245.400	95.13
9.	14/2014-15/M/642	50.74	50.43	50.69	224.800	87.85
10.	14/2014-15/M/644	50.58	50.65	51.85	212.900	83.10
<b>Average Value</b>						<b>88.44</b>
<b>Standard Deviation</b>						<b>5.03</b>




• India's Most Loved Marble •

**Disclaimer:**

- ❖ The laboratory studies and test results pertain only to the samples supplied by customer and it shall not be generalized for the similar rock type and its location.
- ❖ CDOS will not be responsible with respect to any claims, damages or losses from the use of above test report.
- ❖ This test report shall not be reproduced without written approval by CDOS.
- ❖ The test results can not be used as evidence in any court or legal proceedings.



Doc. No.: CDOS/TR/01  
 Rev. No.: 03  
 Rev. Date: April 10, 2014



# Dazzle Marble

**CENTRE FOR DEVELOPMENT OF STONES**  
 (An autonomous organisation promoted by Government of Rajasthan and RIICO)  
 SP-8, SITAPURA INDUSTRIAL AREA, PHASE (IV) JAIPUR-302 022, INDIA  
 Phone: +91-141-5122609, 5122610. Fax: +91-141-5122610  
 Email: info@cdos-india.com, Website: www.cdos-india.com

• India's Most Loved Marble •

## STONE TESTING LABORATORY (R&D CENTRE)

Certificate No. : T-2487

Test Report No. – 2014-15/097

S.No.	Sample Mark	Length (mm)	Width (mm)	Height (mm)	Breaking Load (KN)	Compressive Strength (MPa)
<b>Zone II</b>						
1.	14/2014-15/M/635	50.93	50.65	51.08	171.200	66.37
2.	14/2014-15/M/636	51.73	50.97	51.61	152.400	57.80
3.	14/2014-15/M/637	50.42	51.26	51.68	172.100	66.59
4.	14/2014-15/M/638	51.04	51.94	51.91	150.200	56.66
5.	14/2014-15/M/639	51.27	50.34	50.31	126.300	48.94
6.	14/2014-15/M/640	50.79	50.86	51.36	192.800	74.64
7.	14/2014-15/M/643	50.36	51.53	50.99	125.800	48.48
8.	14/2014-15/M/645	50.44	51.64	51.83	188.100	72.22
<b>Average Value</b>						<b>61.46</b>
<b>Standard Deviation</b>						<b>10.01</b>


### Flexural Strength (Test Method-EN 12372:2006)

(Room Temperature – 20.4°C)

S.No.	Sample Mark	Length (mm)	Width (mm)	Height (mm)	Breaking Load (KN)	Flexural Strength (MPa)
1.	14/2014-15/M/606	300.00	49.97	51.20	7.160	20.50
2.	14/2014-15/M/607	300.00	51.83	50.20	8.080	23.20
3.	14/2014-15/M/608	300.00	50.60	50.44	7.230	21.06
4.	14/2014-15/M/609	300.00	49.45	49.63	5.310	16.35
5.	14/2014-15/M/610	300.00	49.10	50.28	3.670	11.09
6.	14/2014-15/M/611	300.00	49.21	51.44	6.180	17.80
7.	14/2014-15/M/612	300.00	49.33	50.28	5.280	15.88
8.	14/2014-15/M/613	300.00	51.08	51.58	6.400	17.66
9.	14/2014-15/M/614	300.00	50.93	51.61	5.550	15.34
10.	14/2014-15/M/615	300.00	50.32	50.54	3.800	11.09
11.	14/2014-15/M/616	300.00	49.05	50.29	3.830	11.58
12.	14/2014-15/M/617	300.00	51.83	51.40	4.780	13.09
13.	14/2014-15/M/618	300.00	51.70	51.40	7.160	19.66
14.	14/2014-15/M/619	300.00	51.71	51.60	4.250	11.58
15.	14/2014-15/M/620	300.00	51.82	51.52	6.700	18.27
16.	14/2014-15/M/621	300.00	49.25	49.30	4.330	13.56
17.	14/2014-15/M/622	300.00	51.60	51.86	6.750	18.24
18.	14/2014-15/M/624	300.00	51.07	51.69	5.130	14.10
19.	14/2014-15/M/625	300.00	51.70	51.40	4.600	12.63
20.	14/2014-15/M/626	300.00	50.87	51.51	7.770	21.59
<b>Average Value</b>						<b>16.21</b>
<b>Standard Deviation</b>						<b>3.80</b>




• India's Most Loved Marble •



**Disclaimer:**

- ❖ The laboratory studies and test results pertain only to the samples supplied by customer and it shall not be generalized for the similar rock type and its location.
- ❖ CDOS will not be responsible with respect to any claims, damages or losses from the use of above test report.
- ❖ This test report shall not be reproduced without written approval by CDOS.
- ❖ The test results can not be used as evidence in any court or legal proceedings.



# Dazzle Marble

## CENTRE FOR DEVELOPMENT OF STONES

(An autonomous organisation promoted by Government of Rajasthan and RIICO)  
 SP-8, SITAPURA INDUSTRIAL AREA, PHASE (IV) JAIPUR-302 022, INDIA  
 Phone: +91-141-5122609, 5122610. Fax: +91-141-5122610  
 Email: info@cdos-india.com. Website: www.cdos-india.com

• India's Most Loved Marble • **STONE TESTING LABORATORY** • India's Most Loved Marble •

Certificate No. : T-2487

**(R&D CENTRE)**

**Test Report No. – 2014-15/097**

### Slip Resistance Value (Test Method- EN 14231:2003)

#### Dry Condition (Machine Cut)

(Room Temperature – 20.8°C)

S.No.	Sample Mark	Slip Resistance Value (SRV - Dry)								Slip Resistance Value (SRV -Dry) (Average value of last five readings)
		1	2	3	4	5	6	7	8	
1.	14/2014-15/M/652	80	75	75	75	75	75	75	75	75
2.	14/2014-15/M/653	85	85	80	80	80	80	80	80	80
3.	14/2014-15/M/654	80	80	75	75	75	75	75	75	75
4.	14/2014-15/M/655	85	80	80	75	75	75	75	75	75
5.	14/2014-15/M/656	75	70	70	70	70	70	70	70	70
6.	14/2014-15/M/657	80	80	80	75	75	75	75	75	75
Average Value of Slip Resistance Value (SRV-Dry)										75

#### Wet Condition (Machine Cut)

(Water Temperature-20.3°C)

S.No.	Sample Mark	Slip Resistance Value (SRV - Wet)								Slip Resistance Value (SRV -Wet) (Average value of last five readings)
		1	2	3	4	5	6	7	8	
1.	14/2014-15/M/652	60	60	55	55	55	55	55	55	55
2.	14/2014-15/M/653	60	60	60	60	60	60	60	60	60
3.	14/2014-15/M/654	60	60	60	60	60	60	60	60	60
4.	14/2014-15/M/655	60	60	60	60	60	60	60	60	60
5.	14/2014-15/M/656	55	55	55	55	55	55	55	55	55
6.	14/2014-15/M/657	55	55	55	55	55	55	55	55	55
Average Value of Slip Resistance Value (SRV-Wet)										58

Date of issue of report: November 14, 2014

  
 (Anil Kumar Verma)  
 Sr. Geologist  
 Authorised Signatory



# Dazzle Marble

• India's Most Loved Marble •




# Dazzle Marble

• India's Most Loved Marble •

\*\*\*End of Test Report\*\*\*

**Disclaimer:**

- ❖ The laboratory studies and test results pertain only to the samples supplied by customer and it shall not be generalized for the similar rock type and its location.
- ❖ CDOS will not be responsible with respect to any claims, damages or losses from the use of above test report.
- ❖ This test report shall not be reproduced without written approval by CDOS.
- ❖ The test results can not be used as evidence in any court or legal proceedings.



Dazzle  
Marble

**CENTRE FOR DEVELOPMENT OF STONES**  
(An autonomous organisation promoted by Government of Rajasthan and RIICO)  
SP-8, SITAPURA INDUSTRIAL AREA, PHASE (IV) JAIPUR-302 022, INDIA  
Phone: +91-141-5122609, 5122610, Fax: +91-141-5122610  
Email: info@cdos-india.com, Website: www.cdos-india.com

• India's Most Loved Marble • **STONE TESTING LABORATORY** • India's Most Loved Marble •  
(R&D CENTRE)

Certificate No. : T-2487

**Test Report No. – 2014-15/098**

**TEST REPORT**

- |                                     |  |
|-------------------------------------|--|
| 1. Name and address of the customer | Maruti Granites & Marbles Pvt. Ltd.,<br>H-279/280, Udyog Vihar, Sukher,<br>Udaipur-31004<br>Rajasthan, India |
| 2. Reference No.                    | Letter dated October 31, 2014  |
| 3. Rock Type                        | Marble   |
| 4. Commercial Name                  | Dazzle Onyx  |
| 5. Customer Sample ID No.           | MGM-01 to MGM-08, MGM-49 to MGM-54 & MGM-61 to<br>MGM-70   |
| 6. Location of the Sample           | Village Kothara, Talwada, Rajasthan  |
| 7. Nature of the Sample             | Machine Cut  |
| 8. Condition of Sample              | OK   |
| 9. Date of receipt of sample        | November 3, 2014   |
| 10. Date of testing                 | November 7, 2014 to November 14, 2014  |

**TEST RESULT**


**Water Absorption at Atmospheric Pressure (Test Method- EN 13755:2008)**

(Room Temperature – 20.2°C & Water Temperature –20.5°C)

S.No.	Sample Mark	Weight before oven (gm)	Weight after oven (gm)	Weight after immerse (gm)	Water Absorption (%)
1.	14/2014-15/M/598	404.39	404.31	404.53	0.05
2.	14/2014-15/M/599	390.82	390.76	390.87	0.03
3.	14/2014-15/M/600	405.88	405.81	405.98	0.04
4.	14/2014-15/M/601	402.05	401.94	402.20	0.06
5.	14/2014-15/M/602	393.45	393.39	393.49	0.03
6.	14/2014-15/M/603	376.61	376.56	376.67	0.03
<b>Average Value</b>					<b>0.04</b>



Dazzle  
Marble



Dazzle  
Marble



• India's Most Loved Marble •

• India's Most Loved Marble •

**Disclaimer:**

- ❖ The laboratory studies and test results pertain only to the samples supplied by customer and it shall not be generalized for the similar rock type and its location.
- ❖ CDOS will not be responsible with respect to any claims, damages or losses from the use of above test report.
- ❖ This test report shall not be reproduced without written approval by CDOS.
- ❖ The test results can not be used as evidence in any court or legal proceedings.

Doc. No.: CDOS/TR/01  
Rev. No.: 03  
Rev. Date: April 10, 2014



Dazzle  
Marble

**CENTRE FOR DEVELOPMENT OF STONES**  
(An autonomous organisation promoted by Government of Rajasthan and RIICO)  
SP-8, SITAPURA INDUSTRIAL AREA, PHASE (IV) JAIPUR-302 022, INDIA  
Phone: +91-141-5122609, 5122610, Fax: +91-141-5122610  
Email: info@cdos-india.com, Website: www.cdos-india.com

• India's Most Loved Marble • **STONE TESTING LABORATORY** • India's Most Loved Marble •

**(R&D CENTRE)**

Certificate No. : T-2487

**Test Report No. – 2014-15/098**

**Moh's Hardness (Test Method -CDOS/TP/23)**

S.No.	Sample Mark	Scratched with no. values
1.	14/2014-15/M/666	Between 3 to 4
2.	14/2014-15/M/667	Between 3 to 4

**Abrasion Resistance (Test Method- EN 14157:2004)**

(Room Temperature – 20.9°C)

S.No.	Sample Mark	Average Groove Width (in mm)	Abrasion Resistance (mm)
1.	14/2014-15/M/646	16.76	16.93
2.	14/2014-15/M/647	17.34	17.51
3.	14/2014-15/M/648 (a)	16.26	16.43
4.	14/2014-15/M/648 (b)	16.42	16.59
5.	14/2014-15/M/650	17.51	17.68
6.	14/2014-15/M/651	17.80	17.97
Average Value			17.19

**Rupture Energy (Test Method- EN 14158:2004)**

(Room Temperature –20.7°C)

S.No.	Sample Mark	Rupture Height (h) (mm)	Rupture Energy (W) (m/s <sup>2</sup> )
1.	14/2014-15/M/659	350	3.43
2.	14/2014-15/M/660	400	3.92
3.	14/2014-15/M/661	400	3.92
4.	14/2014-15/M/662	450	4.41
5.	14/2014-15/M/663	450	4.41
Average Value			4.02

Date of issue of report: November 14, 2014



Dazzle  
Marble

• India's Most Loved Marble •



Dazzle  
Marble

• India's Most Loved Marble •

(Anil Kumar Verma)  
Sr. Geologist  
Authorised Signatory

\*\*\*End of Test Report\*\*\*

Page 2/2

**Disclaimer:**

- ❖ The laboratory studies and test results pertain only to the samples supplied by customer and it shall not be generalized for the similar rock type and its location.
- ❖ CDOS will not be responsible with respect to any claims, damages or losses from the use of above test report.
- ❖ This test report shall not be reproduced without written approval by CDOS.
- ❖ The test results can not be used as evidence in any court or legal proceedings.

Doc. No.: CDOS/TR/01  
Rev. No.: 03  
Rev. Date: April 10, 2014



Dazzle  
Marble

**CENTRE FOR DEVELOPMENT OF STONES**

(An autonomous organisation promoted by Government of Rajasthan and RICO)  
 SP-8, SITAPURA INDUSTRIAL AREA, PHASE (IV) JAIPUR-302 022, INDIA  
 Phone: +91-141-5122609, 5122610, Fax: +91-141-5122610  
 Email: info@cdos-india.com, Website: www.cdos-india.com

• India's Most Loved Marble •

**STONE TESTING LABORATORY  
(R&D CENTRE)**

Certificate No. : T-2487

**Test Report No. – 2014-15/099**

**TEST REPORT**

1. Name and address of the customer	Maruti Granites & Marbles Pvt. Ltd., H-279/280, Udyog Vihar, Sukher, Udaipur-313004 Rajasthan, India
2. Reference No.	Letter dated October 31, 2014
3. Rock Type	Marble
4. Commercial Name	Dazzle Onyx
5. Customer Sample ID No.	MGM-72 to MGM-77
6. Location of the Sample	Village Kothara, Talwada, Rajasthan
7. Nature of the Sample	Machine Cut
8. Condition of Sample	OK
9. Date of receipt of sample	November 3, 2014
10. Date of testing	November 17, 2014 to November 18, 2014

**TEST RESULT**


**Visual Appearance (Test Method- EN 12057:2004, EN 12058:2004, EN 1469:2004)**

**Sample Mark – 14/2014-15/M/670 & 671**

- **Colour**- Creamish White
- **Grains Size** - Fine to Medium grained
- **Mineralogy** – Rock is hard & compact in nature, fine to medium grained, equigranular, creamish white with brownish spotted in colour. It is mainly consist of calcite & dolomite with minor amount of ferromagnisum minerals and grains are cemented by calcarious material. The rock is metamorphosed identified as marble.




Dazzle  
Marble



Dazzle  
Marble

• India's Most Loved Marble •


• India's Most Loved Marble •



**Disclaimer:**

- ❖ The laboratory studies and test results pertain only to the samples supplied by customer and it shall not be generalized for the similar rock type and its location.
- ❖ CDOS will not be responsible with respect to any claims, damages or losses from the use of above test report.
- ❖ This test report shall not be reproduced without written approval by CDOS.
- ❖ The test results can not be used as evidence in any court or legal proceedings.

Doc. No.: CDOS/TR/01  
 Rev. No.: 03  
 Rev. Date: April 16, 2014



# Dazzle Marble

## CENTRE FOR DEVELOPMENT OF STONES

(An autonomous organisation promoted by Government of Rajasthan and RIICO)  
SP-8, SITAPURA INDUSTRIAL AREA, PHASE (IV) JAIPUR-302 022, INDIA  
Phone: +91-141-5122609, 5122610, Fax: +91-141-5122610  
Email: info@cdos-india.com, Website: www.cdos-india.com

• India's Most Loved Marble • **STONE TESTING LABORATORY** • India's Most Loved Marble •

Certificate No. : T-2487

**(R&D CENTRE)**

**Test Report No. – 2014-15/099**

**Tactility (Test Method - EN 12057:2004, EN 12058:2004)**

**Sample Mark – 14/2014-15/M/673 & 674**

**Dazzle Onyx** – No effect on surface due to mechanical finish such as detachment of speck/laths of minerals. Voids & Holes were not observed. Stone is suitable for all purpose.

**Date of issue of report: November 19, 2014**



# Dazzle Marble

• India's Most Loved Marble •

*Anil Kumar Verma*  
(Anil Kumar Verma)  
Sr. Geologist  
Authorised Signatory

\*\*\*End of Test Report\*\*\*



# Dazzle Marble



# Dazzle Marble


Page 2/2

**Disclaimer:**

- ❖ The laboratory studies and test results pertain only to the samples supplied by customer and it shall not be generalized for the similar rock type and its location.
- ❖ CDOS will not be responsible with respect to any claims, damages or losses from the use of above test report.
- ❖ This test report shall not be reproduced without written approval by CDOS.
- ❖ The test results can not be used as evidence in any court or legal proceedings.

Doc. No.: CDOS/TR/01  
Rev. No.: 03  
Rev. Date: April 10, 2014





Dazzle  
Marble

**CENTRE FOR DEVELOPMENT OF STONES**

(An autonomous organisation promoted by Government of Rajasthan and RIICO)  
 SP-8, SITAPURA INDUSTRIAL AREA, PHASE (IV) JAIPUR-302 022, INDIA  
 Phone: +91-141-5122609, 5122610, Fax: +91-141-5122610  
 Email: info@cdos-india.com, Website: www.cdos-india.com

• India's Most Loved Marble • **STONE TESTING LABORATORY (R&D CENTRE)** • India's Most Loved Marble •

**Test Report No. – 2014-15/100**

**TEST REPORT**

- |                                     |   |
|-------------------------------------|---|
| 1. Name and address of the customer | Maruti Granites & Marbles Pvt. Ltd.,<br>H-279/280, Udyog Vihar, Sukher,<br>Udaipur-313004<br>Rajasthan, India |
| 2. Reference No.                    | Letter dated October 31, 2014   |
| 3. Rock Type                        | Marble  |
| 4. Commercial Name                  | Dazzle Onyx   |
| 5. Customer Sample ID No.           | MGM-78 to MGM-80  |
| 6. Location of the Sample           | Village Kothara, Talwada, Rajasthan   |
| 7. Nature of the Sample             | Machine Cut   |
| 8. Condition of Sample              | OK  |
| 9. Date of receipt of sample        | November 3, 2014  |
| 10. Date of testing                 | November 18, 2014   |

**TEST RESULT**

**Specular Gloss (Test Method- ASTM D523-08)**

(Room Temperature –21.5°C)

S. No.	Sample Mark	Angle 20°	Angle 60°	Angle 85°
1.	14/2014-15/M/676	50.31	68.68	90.88
2.	14/2014-15/M/677	53.66	79.76	92.92
3.	14/2014-15/M/678	42.91	60.69	87.34
Average Value		48.96	69.71	90.38

Date of issue of report: November 19, 2014



Dazzle  
Marble



Dazzle  
Marble

(Anil Kumar Verma)  
Sr. Geologist  
Authorised Signatory



\*\*\*End of Test Report\*\*\*

• India's Most Loved Marble •

• India's Most Loved Marble •

**Disclaimer:**

- ❖ The laboratory studies and test results pertain only to the samples supplied by customer and it shall not be generalized for the similar rock type and its location.
- ❖ CDOS will not be responsible with respect to any claims, damages or losses from the use of above test report.
- ❖ This test report shall not be reproduced without written approval by CDOS.
- ❖ The test results can not be used as evidence in any court or legal proceedings.